



Elk River[®]

Personal Fall Protection

Made in USA

Personal
Fall
Protection



Quality.
Safety.
Tradition.

Safety just got stronger.
Protecting you just got easier.

Quality. Safety. Tradition.

Our investment and commitment in **Quality** work is to translate into productive fall protection. We strive to provide for the safe working fields that meet customer demands. We have expanded our facilities, enjoying over three decades of business in **Safety**. Elk River's focus has always resulted in **Tradition** and growth. Leading to each expansion -- Our primary aim is to gain the physical space needed, to bring products to life and customers to safety.



Elk River[®]
Personal Fall Protection



Memberships / Trade Groups



EAGLE Registrations Inc.
SERVICE • INTEGRITY • VALUE

Elk River is an ISO 9001:2015 registered company.



NETPLUS ALLIANCE
BRINGING SUPPLIERS & DISTRIBUTORS TOGETHER



AMERICAN SOCIETY OF
SAFETY PROFESSIONALS



TABLE OF CONTENTS

Harnesses Pg. 3-20

find your safety ...

Connecting Devices Pg. 22-33

Anchorage Pg. 35-41

Kits Pg. 42-43

Rescue & Confined Space Pg. 44-45

Accessories Pg. 46-49

Index Pg. 52-54

*Product colors may vary without notice



P. O. Box 1770, Cullman, AL 35056-1770
256.739.5959 • 800.633.3954 • 256.739.3105 fax
www.elkriver.com • sales@elkriver.com



1. Pick the harness up by the dorsal D-ring. Give the harness a gentle shake to help orient all the straps and connection points. Check to ensure the harness is not tangled before moving on to step two.



2. Ensure that all connections are unfastened and put the harness on like you would a jacket. The dorsal D-ring should be between your shoulder blades.



3. Reach between your legs grabbing one leg strap and pull it back through your legs and connect. Repeat this process with the other leg strap. Check to ensure that your leg straps are not twisted, crossed or tangled. When your leg straps are properly adjusted, you should be able to put 2-3 fingers between your body and straps.



4. Connect your chest strap. The chest strap should be across your chest even with the nipple line or approximately 6 inches below your shoulders. If your harness is equipped with torso adjusters, now is the time to adjust them for improved comfort and mobility. The harness should fit snugly, but not tight.



5. If your harness has a belt connection, connect it now. Once you have made all the connections and adjusted your harness for proper fit, you are good to go. It may be necessary to readjust your harness throughout the day.

HOW TO DON A HARNESS



HOW TO MEASURE FOR A FULL BODY HARNESS (measurements are over clothing)

Proper fit is critical for personal safety & working comfort. The chart below specifies how to measure your body for the correct fit of Fall Protection Equipment.

| SIZE | WAIST MEASUREMENT INCHES | WAIST MEASUREMENT CENTIMETERS |
|------|-----------------------------|----------------------------------|
| S | 32-40 | 80-100 |
| M | 36-44 | 90-110 |
| L | 40-48 | 100-120 |
| XL | 44-52 | 110-130 |
| 2XL | 48-56 | 120-140 |
| 3XL | 52-60 | 130-150 |

sizing chart for full body harnesses with integral waistbelt

USA INDUSTRY SYMBOLS



Fall Arrest



Positioning



Suspension



Fall Prevention



Retrieval



Ladder Climbing

Platinum Oil Rigger SERIES

Harnesses

- Four D-rings: One 12" extended D-ring at center of back for easy attach/detach at shoulder
- Quick-connect buckle on chest and tongue buckle leg straps
- Padded adjustable shoulder straps
- Five-inch backpad
- Padded soft seat with removable aluminum bar in saddle

ORDER NOW!

Platinum Oil Rigger

Platinum Oil Rigger

| SIZES | PART NUMBER |
|-------|-------------|
| S | 67471 |
| M | 67472 |
| L | 67473 |
| XL | 67474 |
| 2XL | 67475 |



EXTENDED D-ring CENTER OF BACK

**FLEX-NoPac (35477)
Energy Absorbing Lanyard**
(sold separately - pg. 24)



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Peregrine RAS Platinum

MOST POPULAR TOWER HARNESS!

Platinum Series

- Six D-rings: Aluminum angled D-ring at back, two on hips, two aluminum D-rings on seat, one steel D-ring on chest strap
- Aluminum Quick-connect buckle on chest and tongue buckle on leg straps
- Breathable padding on back/shoulder, waist, bar seat, and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad with accessory rings
- Removable tool belt
- Removable adjustable seat
- Small and Medium have 14" seat
- Large-2x have 16" seat

| SIZES | PART NUMBER |
|-------|-------------|
| S | 67631 |
| M | 67632 |
| L | 67633 |
| XL | 67634 |
| 2XL | 67635 |



WIDER SEAT FOR ADDED COMFORT

| SIZES | PART NUMBER |
|-------|-------------|
| S | 67641 |
| M | 67642 |
| L | 67643 |
| XL | 67644 |
| 2XL | 67645 |



STEEL D-RING (Optional)



CHEST BUCKLE & D-RING



BACK D-RING



CAM BUCKLE



REMOVABLE ADJUSTABLE SEAT



SEAT BUCKLE



Peregrine Platinum

- Six D-rings: Aluminum angled D-ring at back, two on hips, two aluminum D-rings on seat, one steel D-ring on chest strap
- Aluminum Quick-connect buckles on chest and legs
- Breathable padding on back/shoulder, waist, bar seat, and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad with accessory rings
- Removable tool belt
- Four-inch padded seat strap with removable three-inch aluminum bar in seat

SAFETY WITH COMFORT

ORDER NOW!



| SIZES | PART NUMBER |
|-------|-------------|
| S | 67601 |
| M | 67602 |
| L | 67603 |
| XL | 67604 |
| 2XL | 67605 |

6




Kestrel Platinum



- Four D-rings: One aluminum angled D-ring at back, two aluminum D-rings on hips, one steel D-ring on chest strap
- Aluminum Quick-connect buckles on chest and leg straps
- Breathable padding on back/shoulder and leg straps
- Pull down adjusters on shoulder straps

| SIZES | PART NUMBER |
|-------|-------------|
| S-L | 67498 |
| L-XL | 67499 |

4



- Harnesses
- Connecting Devices
- Anchorage
- Kits
- Rescue & Confined Spaces
- Accessories



RAVEN

QUICK CONNECT
ON CHEST
& LEGS



BACK D-RING



QUICK CONNECT
ON CHEST & LEGS



BELT

Raven Platinum

- Three D-Rings: aluminum angled D-rings at back and on hips
- Aluminum Quick-connect buckles on chest and legs
- Breathable padding on back/shoulder, waist and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad
- Removable tool belt

| SIZES | PART NUMBER |
|-------|-------------|
| S | 67301 |
| M | 67302 |
| L | 67303 |
| XL | 67304 |
| 2XL | 67305 |



TONGUE
BUCKLE
LEGS

RAVEN



TONGUE BUCKLE



ORDER
NOW!

Raven Platinum EX

- Three D-Rings: aluminum angled D-rings at back and on hips
- Aluminum Quick-connect buckles on chest and tongue buckles on leg straps
- Breathable padding on back/shoulder, waist and leg straps
- Pull down adjusters on shoulder straps
- Five-inch backpad
- Removable tool belt

| SIZES | PART NUMBER |
|-------|-------------|
| S | 67311 |
| M | 67312 |
| L | 67313 |
| XL | 67314 |
| 2XL | 67315 |



Raven Tower

- Six Connection Points: Five Aluminum D-rings; angled D-ring on back, two on hips, two D-rings on seat, One D-ring on chest strap
- Aluminum Quick-connect buckle on chest and tongue buckle on leg straps
- Breathable foam mesh, and leg straps
- Breathable Padding on waist and bar seat
- Pull down adjusters on shoulder straps
- Five-inch backpad with accessory rings
- Removable adjustable seat
- Hydrophobic webbing (water proof) Small and Medium have 14" seat, Large-2X have 16" seat

OUR
LIGHTEST
TOWER
HARNESS
AVAILABLE



| SIZES | PART NUMBER |
|-------|-------------|
| S | 67661 |
| M | 67662 |
| L | 67663 |
| XL | 67664 |
| 2XL | 67665 |



CHEST D-RING



ALUMINUM BACK D-RING

- Harnesses
- Connecting Devices
- Anchorage
- Kits
- Rescue & Confined Spaces
- Accessories

Eagle SERIES

- Six D-rings: at back, hips, chest, and shoulders
- Cross-over design for added comfort
- Quick-connect buckles for leg straps
- Mating buckles at torso
- Torso adjusters
- X brace D-ring stabilizer on back
- No tangle design for easy donning
- Removable tool belt

| SIZES | PART NUMBER |
|-------|-------------|
| S | 62631 |
| M | 62632 |
| L | 62633 |
| XL | 62634 |
| 2XL | 62635 |



Eagle X2



- Six D-rings: at back, hips, chest, and seat
- Quick-connect buckle on chest strap
- Five-inch backpad with accessory rings
- Pull down adjusters on shoulder straps
- Oversized Y backpad
- Tongue buckles on leg straps
- Removable tool belt
- Extra long five-inch padded soft seat

| SIZES | PART NUMBER |
|-------|-------------|
| S | 66611 |
| M | 66612 |
| L | 66613 |
| XL | 66614 |
| 2XL | 66615 |
| 3XL | 66616 |



Eagle Tower



BACK D-RING



BACK TOOL LOOPS



SOFT SEAT



LANYARD PARK



SHOULDER ADJUSTER



Eagle SERIES

- Six D-rings: at back, hips, chest, and seat
- Quick-connect buckle on chest strap
- Tongue buckles on leg straps
- Comfort padding at back/shoulder
- Five-inch backpad with accessory rings
- Removable tool belt
- Aluminum bar in seat



| SIZES | PART NUMBER |
|-------|-------------|
| S | 66621 |
| M | 66622 |
| L | 66623 |
| XL | 66624 |
| 2XL | 66625 |
| 3XL | 66626 |



Eagle Tower LX

- Three D-rings: at back, hips
- Mating buckle on chest, tongue buckle shoulders & leg straps
- Padded and Adjustable shoulder straps
- Removable tool belt
- Padded backpad



| SIZES | PART NUMBER |
|-------|-------------|
| S | 65321 |
| M | 65322 |
| L | 65323 |
| XL | 65324 |
| 2XL | 65325 |
| 3XL | 65326 |



Iron Eagle

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Eagle SERIES

ORDER NOW!

- Three D-rings: at back and hips
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters
- Padded shoulders
- Six-inch backpad
- Removable tool belt

| SIZES | PART NUMBER |
|-------|-------------|
| S | 62311 |
| M | 62312 |
| L | 62313 |
| XL | 62314 |
| 2XL | 62315 |
| 3XL | 62316 |



Eagle Lite



- Four D-rings: at back, hips, chest
- Quick-connect buckle on chest and leg strap
- Adjustable shoulder straps
- Large comfort D-ring slider on back
- Leg pads

| SIZES | PART NUMBER |
|-------|-------------|
| S-L | 62432 |
| L-XL | 62434 |



Wind Eagle





- Three D-rings: at back and hips
- Quick-connect buckles on chest and leg straps
- Tongue buckle shoulder adjusters
- Padded shoulders
- Five-inch backpad
- Removable tool belt
- Reflective trim

| SIZES | PART NUMBER |
|-------|-------------|
| S | 97111 |
| M | 97112 |
| L | 97113 |
| XL | 97114 |
| 2XL | 97115 |
| 3XL | 97116 |



FireFly Platinum



Harnesses

Connecting Devices

Anchorage



- Three D-rings: at back and hips
- Quick-connect buckles on chest and leg straps
- Tongue buckle shoulder adjusters
- Padded shoulders
- Five-inch backpad
- Removable tool belt

| SIZES | PART NUMBER |
|-------|-------------|
| S | 97101 |
| M | 97102 |
| L | 97103 |
| XL | 97104 |
| 2XL | 97105 |
| 3XL | 97106 |



Onyx Platinum



Kits

Rescue & Confined Spaces

Accessories



Work Master® SERIES

you're not protected, if you're not connected...

Work Master®



Work Master®

| SIZES | PART NUMBER |
|-------|-------------|
| S | 75301 |
| M | 75302 |
| L | 75303 |
| XL | 75304 |
| 2XL | 75335 |
| 3XL | 75336 |
| 4XL | 75337 |

- Three D-rings: at back and hips
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters
- Padded shoulders
- Removable tool belt
- 4" flexible backpad



Tower Master



- Four D-rings: at back, hip, & chest
- Quick connect buckle on chest
- Tongue buckles on leg straps
- Padded adjustable shoulder straps
- Removable tool belt
- 4" flexible backpad

| SIZES | PART NUMBER |
|-------|-------------|
| S | 75421 |
| M | 75422 |
| L | 75423 |
| XL | 75424 |
| 2XL | 75425 |
| 3XL | 75426 |



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories

Work Master[®] SERIES

Harnesses

we believe in keeping you safe ...

- Four D-rings: One 12" extended D-ring at center of back for easy attach/detach at shoulder
- D-ring at lower back
- D-rings on saddle with snaps
- Mating buckles on chest strap
- Tongue buckles on leg straps
- Padded shoulders
- 4" flexible backpad at waist and saddle

Oil Rigger

| SIZES | PART NUMBER |
|-------|-------------|
| S | 76471 |
| M | 76472 |
| L | 76473 |
| XL | 76474 |
| 2XL | 76475 |
| 3XL | 76476 |



BACK PAD



FRONT D-rings



12" D-ring EXTENSION



Freedom[®] SERIES

Harnesses

- One D-ring: at back or three D-rings at back and hips
- Mating buckles at chest strap
- Tongue buckle on leg straps
- Shoulder adjuster
- Flexible shoulder straps



Freedom[®] Flex



SIZES PART NUMBER

| | | |
|----------------|-------|-------|
| (One D-ring) | M-2XL | 47149 |
| (Three D-ring) | M-2XL | 47349 |

- 1
- 3

Freedom[®]

Freedom[®] Flex QC

SIZES PART NUMBER

| | | |
|----------------|-------|-------|
| (One D-ring) | M-2XL | 47169 |
| (Three D-ring) | M-2XL | 47369 |

- 1
- 3



- One D-ring: at back or three D-rings at back and hips
- Quick-connect buckles at chest and leg straps
- Shoulder adjuster
- Flexible shoulder straps

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Specialty Harness

BRIDLE

- Nylon & Polyester webbing
- Forged steel snaphooks
- Shoulder width separation for additional comfort, 3600 lbs gate snaphooks

- Five D-rings: at back, hips, and shoulders
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters

25999

Universal Retrieval



| SIZES | PART NUMBER |
|-----------------------------|-------------|
| One size fits most M-2XL | 42559 |



SHOULDER D-ring



Universal SERIES

Harnesses

- One or three D-ring option
- Mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder adjusters



| SIZES | PART NUMBER |
|----------------------|-------------|
| One size fits most | |
| (One D-ring) M-2XL | 42159 |
| (Three D-ring) M-2XL | 42359 |

1 



3 



Universal



- One or three D-ring option
- Mating buckle on chest and leg straps
- Shoulder adjusters



| SIZES | PART NUMBER |
|----------------------|-------------|
| One size fits most | |
| (One D-ring) M-2XL | 42109 |
| (Three D-ring) M-2XL | 42309 |

1 



3 



Bag Available
Accessories/pg. 47
#88010

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Construction Plus® SERIES

- One or three D-rings option
- Mating buckles on chest and leg straps



Construction Plus®

| SIZES | PART NUMBER |
|-------|-------------|
|-------|-------------|

| | |
|---------------------|-------|
| One size fits most | |
| (One D-ring) S-XL | 48103 |
| (Three D-ring) S-XL | 48303 |



Construction Plus®



- One or three D-rings option
- Mating buckle on chest strap
- Tongue buckles on leg straps

| SIZES | PART NUMBER |
|-------|-------------|
|-------|-------------|

| | |
|---------------------|-------|
| One size fits most | |
| (One D-ring) S-XL | 48153 |
| (Three D-ring) S-XL | 48353 |




Construction Plus[®] SERIES

Harnesses

Construction Plus[®]

- Soft attachment at D-slider
- Mating buckles on chest and leg straps
- Fully integrated in line 6' NoPac[®] Energy Absorbing lanyard attached to center of back, snaphook opposite end



| SIZES | PART NUMBER |
|--------------------|-------------|
| One size fits most | |
| S-XL | 48013 |



Construction Plus[®]

- Three D-rings: 1 at back, 2 at hips
- Mating buckles at chest, Tongue Buckle leg straps
- Twin Leg Energy Absorbing lanyard 6' with rebar hooks



| SIZES | PART NUMBER |
|--------------------|-------------|
| One size fits most | |
| S-XL | 48363 |



Construction Plus[®]

- One D-ring: at back
- Mating buckles on chest and leg straps
- In-line NoPac[®] Energy Absorbing lanyard attached to D-ring center of back, snaphook opposite end



| SIZES | PART NUMBER |
|--------------------|-------------|
| One size fits most | |
| (4 ft.) S-XL | 48112 |
| (6 ft.) S-XL | 48113 |



Construction Plus[®]

- One D-ring: at back
- Mating buckle on chest and leg straps
- Fully integrated adjustable ZORBER[®] lanyard attached to D-ring center of back, snaphook opposite end



| SIZES | PART NUMBER |
|--------------------|-------------|
| One size fits most | |
| (6 ft.) S-XL | 48173 |
| (5 ft.) S-XL | 48175 |



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories




Heavy Duty Kevlar®

"a synthetic fiber of high tensile strength"



- One D-ring back/forged steel D-ring
- Steel mating buckles at chest & leg strap
- Heat & abrasion resistant webbing

| SIZES | PART NUMBER |
|-------|-------------|
| S-L | 95102 |
| L-XL | 95104 |
| 2X-3X | 95106 |



| PART # | DESCRIPTION | MATERIAL | CONNECTORS | STANDARD |
|-----------------------|--------------|--------------------------------------|-------------------------------|--------------|
| 95004 (pic. featured) | 1-3/4" x 4' | Kevlar® blend Web | Snaphook each end | ANSI Z359.3 |
| 95006 (listed only) | 1-3/4" x 6' | Kevlar® blend Web | Snaphook each end | ANSI Z359.3 |
| 95016 (pic. featured) | 6' | Kevlar® blend Web | Snaphook each end | ANSI Z359.13 |
| 95026 (listed only) | 6' | Kevlar® blend Web | Snaphooks/Twin-leg | ANSI Z359.13 |
| 95046 (listed only) | 6' | Kevlar® blend Web | Snaphooks/Rebar hook | ANSI Z359.13 |
| 95047 (pic. featured) | 6' | Kevlar® blend Web | Snaphooks/Twin-leg/Rebar hook | ANSI Z359.13 |
| 95740 (pic. featured) | 1-3/4" x 14' | Kevlar® blend Web/Forged steel hooks | Snaphook each end/Rebar hook | ANSI Z359.3 |
| 95741 (listed only) | 1-3/4" x 18' | Kevlar® blend Web/Forged steel hooks | Snaphook each end/Rebar hook | ANSI Z359.3 |



FALL CLEARANCE CALCULATION

RETRACTABLES




NOTE: Individual calculation results can vary if adding SRD Free Fall, reducing Safety Factor, height of worker, SRD Class B deceleration, etc.

Calculating Fall Clearance Distance Using a Retractable Lifeline

- First, add the maximum deceleration distance (class A-26" / class B 54") to the average height of a worker (6 ft.).
- Then, add a safety factor of 3 ft. to allow for the possibility of an improperly fit harness, a taller than average worker and/or a miscalculation of distance.
- The total, 11' or 13.5' is the suggested safe fall clearance distance for this example.

PERSONAL FALL ARREST SYSTEMS

Free Fall Distance+Energy-Absorber Deceleration Distance+Worker height + Safety Factor = 19 Ft. (5.8M)



NOTE: Safety Factor of 3 feet includes harness stretch and the settling of the user's body in the harness.

Calculating Fall Clearance Distance Using a Shock-Absorbing Lanyard

- First, add the length of the energy-absorbing lanyard (6 ft.) to the maximum elongation of the energy absorber during deceleration 48" to the average height of a worker (6 ft.).
- Then, add a safety factor of 3 ft. to allow for the possibility of an improperly fit harness, a taller than average worker and/or a miscalculation of distance.
- The total, 19 ft is the suggested safe fall clearance distance for this example.

HOW TO INSPECT LANYARD

- When inspecting lanyards, begin at one end and work to the opposite end. Slowly rotate the lanyard so that the entire circumference is checked. Spliced ends require particular attention. Hardware should be examined under procedures detailed below.

HARDWARE

SNAPS: Inspect closely for hook and eye distortion, cracks, corrosion, or pitted surfaces. The keeper or latch should seat into the nose without binding and should not be distorted or obstructed. The keeper spring should exert sufficient force to firmly close the keeper. Keeper rocks must provide the keeper from opening when the keeper closes.

THIMBLES: The thimble (protective plastic sleeve) must be firmly seated in the eye of the splice, and the splice should have no loose or cut strands. The edges of the thimble should be free of sharp edges, distortion, or cracks.

LANYARDS

STEEL LANYARDS: While rotating a steel lanyard, watch for cuts, frayed areas, or unusual wear patterns on the wire. The use of steel lanyards for fall protection without a energy-absorbing device is not recommended.

WEB LANYARD: While bending webbing over a piece of pipe, observe each side of the webbed lanyard. This will reveal any cuts or breaks. Due to the limited elasticity of the web lanyard, fall protection without the use of a energy absorber is not recommended.

ROPE LANYARD: Rotation of the rope lanyard while inspecting from end to end will bring to light any fuzzy, worn, broken or cut fibers. Weakened areas from extreme loads will appear as a noticeable change in original diameter. The rope diameter should be uniform throughout, following a short break-in period. When a rope lanyard is used for fall protection, a energy-absorbing system should be included.

ENERGY-ABSORBING PACKS

The outer portion of the energy-absorbing pack should be examined for burn holes and tears. Stitching on areas where the pack is sewn to the D-ring, belt or lanyard should be examined for loose strands, rips and deterioration.



| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------|--------|-------------------|--------------|
| 35324 (listed only) | 1-1/2" x 4' | Polyester Web | Single | Snaphook each end | ANSI Z359.13 |
| 35326 (pic. featured) | 1-1/2" x 6' | Polyester Web | Single | Snaphook each end | ANSI Z359.13 |
| 35346 (pic. featured) | 1-1/2" x 6' | Polyester Web | Twin | Snaphook each end | ANSI Z359.13 |



| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------|--------|-----------------------|--------------|
| 35374 (listed only) | 1-1/2" x 4' | Polyester Web | Single | Snaphook & Rebar hook | ANSI Z359.13 |
| 35376 (pic. featured) | 1-1/2" x 6' | Polyester Web | Single | Snaphook & Rebar hook | ANSI Z359.13 |
| 35386 (pic. featured) | 1-1/2" x 6' | Polyester Web | Twin | Snaphook & Rebar hook | ANSI Z359.13 |

FLEX-NoPac® Lanyards

Connecting Devices



Keeping the world safe.
One hook at a time.
ORDER TODAY!



35406



35416



35417



35427



35427



| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------------|--------|-------------------------------|--------------|
| 35406 (pic. featured) | 1-1/2" x 6' | Polyester Web | Twin | Snaphook each leg & Carabiner | ANSI Z359.13 |
| 35416 (pic. featured) | 1-1/2" x 6' | Polyester Web | Twin | Snaphook each end & Carabiner | ANSI Z359.13 |
| 35417 (pic. featured) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Snaphook each leg & Carabiner | ANSI Z359.13 |
| 35427 (pic. featured) | 1-1/2" x 6' | Polyester Web | Single | Snaphook each end | ANSI Z359.13 |

- Harnesses
- Connecting Devices
- Anchorage
- Kits
- Rescue & Confined Spaces
- Accessories

FLEX-NoPac® Lanyards

Call Today! For all your Fall Protection needs...



35428



35477

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------|--------|---------------------------|--------------|
| 35428 (pic. featured) | 1-1/2" x 6' | Polyester Web | Twin | Snaphook each end | ANSI Z359.13 |
| 35477 (pic. featured) | 1-1/2" x 6' | Polyester Web | Single | Snaphook each end | ANSI Z359.13 |
| 35478 (pic. featured) | 1-1/2" x 5' | Polyester Web | Twin | Snaphook / Rebar each end | ANSI Z359.13 |



35478



35488

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------------|------|---------------------------|--------------|
| 35487 (listed only) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Snaphook & Rebar each end | ANSI Z359.13 |
| 35488 (pic. featured) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Snaphook & Rebar each end | ANSI Z359.13 |
| 35716 (listed only) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Carabiner each end | ANSI Z359.13 |



ZORBER[®] Lanyards

Connecting Devices

Harnesses

Connecting Devices

Anchorage

Kits


Rescue & Confined Spaces

Accessories

ORDER TODAY!



36263



36264



| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|-----------|--------|-------------------|--------------|
| 36263 (pic. featured) | 1" x 3' | Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 36264 (pic. featured) | 1" x 4' | Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 36266 (pic. featured) | 1" x 6' | Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 36267 (pic. featured) | 1" x 6' | Nylon Web | Twin | Snaphook each end | ANSI Z359.13 |



36266



36267





36356




36357

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|-----------|--------|----------------|--------------|
| 36356 (pic. featured) | 1" x 6' | Nylon Web | Single | Snaphook Rebar | ANSI Z359.13 |
| 36357 (pic. featured) | 1" x 6' | Nylon Web | Twin | Snaphook Rebar | ANSI Z359.13 |
| 36358 (listed only) | 1" x 5' | Nylon Web | Twin | Snaphook Rebar | ANSI Z359.13 |



36527



36528

ADJUSTABLE

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|-----------|--------|-------------------|--------------|
| 36359 (listed only) | 1" x 4' | Nylon Web | Twin | Snaphook Rebar | ANSI Z359.13 |
| 36527 (pic. featured) | 1" x 6' | Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 36528 (pic. featured) | 1" x 6' | Nylon Web | Twin | Snaphook each end | ANSI Z359.13 |

FLEX-ZORBER® Lanyards

Connecting Devices



36806



36827

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------------|--------|----------------------|--------------|
| 36806 (pic. featured) | 1-1/2" x 6' | Polyester Web | Twin | Snaphook / Carabiner | ANSI Z359.13 |
| 36827 (pic. featured) | 1-1/2" x 6' | Polyester/Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 36828 (pic. featured) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Snaphook each end | ANSI Z359.13 |
| 36887 (listed only) | 1-1/2" x 6' | Polyester/Nylon Web | Single | Snaphook Rebar | ANSI Z359.13 |
| 36897 (pic. featured) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Snaphook Rebar | ANSI Z359.13 |

Fall Protection at its best...



36828



36897

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories

Specialty Lanyards



res-Que No-Fac®
35824



ZX-12 ZORBER®
36026

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------------|--------|-------------------|--------------|
| 35824 (pic. featured) | 1-1/4" x 4' | Polyester/Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 35826 (listed only) | 1-1/4" x 6' | Polyester/Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 36026 (pic. featured) | 1" x 6' | Nylon Web | Single | Snaphook each end | ANSI Z359.13 |



ZX-12 ZORBER®
36036



Choker ZORBER®
36936

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------------|--------|--------------------|--------------|
| 36036 (pic. featured) | 1" x 6' | Nylon Web | Twin | Snaphook each leg | ANSI Z359.13 |
| 36926 (listed only) | 1" x 6' | Polyester/Nylon Web | Single | Snaphook Carabiner | ANSI Z359.13 |
| 36936 (pic. featured) | 1" x 6' | Nylon Web | Twin | Snaphook Carabiner | ANSI Z359.13 |



Specialty Lanyards



Flex-NoPac®
Energy Absorbing Lanyard
35401

ORDER NOW!

Flex-NoPac® Energy
Absorbing Lanyard
Durable soft loop
at harness connection -
Steel snaphook at anchor -
3/4" gate opening -



ZORBER® Tie-Back
36941



Flex-ZORBER®
36966

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|-----------------------|-------------|---------------------|--------|--------------------|--------------|
| 35401 (pic. featured) | 1-1/2" x 6' | Polyester Web | Single | Soft loop/snaphook | ANSI Z359.13 |
| 36940 (listed only) | 1" x 6' | Polyester/Nylon Web | Single | Snaphook each end | ANSI Z359.13 |
| 36941 (pic. featured) | 1" x 6' | Polyester/Nylon Web | Twin | Snaphook each end | ANSI Z359.13 |
| 36966 (pic. featured) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Snaphook Rebar | ANSI Z359.13 |
| 36967 (listed only) | 1-1/2" x 6' | Polyester/Nylon Web | Twin | Snaphook Rebar | ANSI Z359.13 |

Harnesses

Connecting
Devices

Anchorage


Kits

Rescue &
Confined Spaces


Accessories



Cable Lanyards



11306



11506



11526



see pg. 20

*Buy together
for your
heavy duty
work safety.*

cable sling
see pg. 35

ZORBER®
Energy Absorbing Cable Lanyard

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | STANDARD |
|--------|-------------|--|--------|----------------------|--------------|
| 11306 | 1/4" x 6' | Vinyl coated galvanized aircraft cable | Single | Snaphook each end | ANSI Z359.13 |
| 11506 | 1/4" x 6' | Vinyl coated galvanized aircraft cable | Single | Snaphook, Rebar hook | ANSI Z359.13 |
| 11526 | 1/4" x 6' | Vinyl coated galvanized aircraft cable | Twin | Snaphook, Rebar hook | ANSI Z359.13 |



Positioning Lanyards

Connecting Devices

Quick-Adjustable Rope Positioning / Lanyards



28013-28016



29022-29026



29432-29436

| PART # | DESCRIPTION | MATERIAL | LEGS | CONNECTORS | FEATURES |
|-------------|-------------------------|------------|--------|--------------------------------|-------------|
| 28013 | 1/2" x 3' | Nylon Rope | Single | Snaphook each end | Positioning |
| 28014 | 1/2" x 4' | Nylon Rope | Single | Snaphook each end | Positioning |
| 28015 | 1/2" x 5' | Nylon Rope | Single | Snaphook each end | Positioning |
| 28016 | 1/2" x 6' | Nylon Rope | Single | Snaphook each end | Positioning |
| 29022-29026 | 1" x 2', 3', 4', 5', 6' | Nylon Web | Single | Centurion Snaphook each end | Positioning |
| 29432-29436 | 1" x 2', 3', 4', 5', 6' | Nylon Web | Single | Centurion Snaphook, Rebar hook | Positioning |

**ADJUSTABLE
FROM
3' - 6'**



29506



34406

| PART # | DESCRIPTION | MATERIAL | CONNECTORS | FEATURES |
|--------|-------------|------------|-----------------------------|------------------------------------|
| 29506 | 1" x 6' | Nylon Web | Centurion Snaphook each end | Positioning, Adjustable from 3'-6' |
| 34406 | 5/8" x 6' | Nylon Rope | Snaphook | Carabiner included |

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories

Positioning Lanyards

Quick-Adjustable Rope Positioning

ORDER NOW!

Featuring our Positioning Lanyards...
Stitched with the finest rope & threads.
Made in the U.S.A.

**INCLUDES
CARABINER**

Colors may vary,
subject to change

**ROPE
PROTECTOR**

34496

34416

Polyester and Nylon Kernmantle rope
Steel Carabiners
Aluminum adjuster
1/2" gate opening carabiner
Tower / Industrial / Construction
Positioning Lanyard - for positioning
only - separate fall arrest lanyard
required Maximum load 3600 lbs



| PART # | DESCRIPTION | MATERIAL | CONNECTORS | FEATURES |
|-----------------------|--------------|-----------------|-----------------------|---------------------------|
| 34416 (pic. featured) | 5/8" x 6' | Kernmantle Rope | Captive Eye Carabiner | Carabiner included |
| 34496 (pic. featured) | 1 / 2 " x 6' | Kernmantle Rope | Captive Eye Carabiner | Aluminum sliding adjuster |
| 34498 (listed only) | 1 / 2 " x 8' | Kernmantle Rope | Captive Eye Carabiner | Aluminum sliding adjuster |



Retractable

Connecting Devices



22507



22508



22511

| PART # | DESCRIPTION | MATERIAL | CONNECTORS | FEATURES |
|--------|-------------|------------------|---------------------------------|--|
| 22507 | 7' | Aluminum housing | Forged Steel snaphook/3.6M gate | Swivel Top connector/Snaphook/Carabiner included |
| 22508 | 7' - Dual | Aluminum housing | Forged Steel snaphook/3.6M gate | Swivel Top connector/Snaphook/Carabiner included |
| 22511 | 11' | Aluminum housing | Forged Steel snaphook/3.6M gate | Swivel Top connector/Snaphook/Carabiner included |



22520



22530



22550

| PART # | DESCRIPTION | MATERIAL | CONNECTORS | FEATURES |
|--------|-------------|-----------------------|------------------------------|---|
| 22520 | 20' | Thermoplastic housing | 3/16" galvanized steel cable | Aluminum Swivel Snaphook Top/Carabiner included |
| 22530 | 30' | Thermoplastic housing | 3/16" galvanized steel cable | Aluminum Swivel Snaphook Top/Carabiner included |
| 22550 | 50' | Thermoplastic housing | 3/16" galvanized steel cable | Aluminum Swivel Snaphook Top/Carabiner included |

Cable Self-Retracting Device

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



This is how we do it!

RFID

EZE-TRAC[®]

Elk River's RFID Tracking & Inventory Control

Elk River is pleased to announce the availability of RFID tracking on most products.

Easy as 1-2-3.

1. RFID equipped products have a tag. Additional tags can be purchased to tag existing equipment
2. Scan the product with Elk River readers, or download the app for your smart phone.
3. Track the product with your computer or smart phone.

**See
Pg. 46
for
details!**

1 tag.

**Accurate Equipment
Identification with
RFID Tags**



part #
99302

2

scan.

**Industrial Scanners
Inspect & Manage
Equipment Anywhere**



part #
99301



part #
99300

3

track.

**Cloud Database
is Always Accessible
and Up to Date**



To download App for phone - scan QR Code

**Track Equipment
Streamline Inspections
Automate Documentation**



Customer Service 800.633.3954 Or Visit www.elkriver.com/eze-trac

GAC Slings and EZE-man® Slings



13604/13610

SLINGS



26770 - 26782

26793 - 26796

| PART # | DESCRIPTION | MATERIAL | FEATURES |
|--------|------------------------|--|--------------------------|
| 13604 | 1/4" x 4' Cable Sling | Vinyl coated galvanized aircraft cable | 2" and 3" Forged O-Rings |
| 13606 | 1/4" x 6' Cable Sling | Vinyl coated galvanized aircraft cable | 2" and 3" Forged O-Rings |
| 13608 | 1/4" x 8' Cable Sling | Vinyl coated galvanized aircraft cable | 2" and 3" Forged O-Rings |
| 13610 | 1/4" x 10' Cable Sling | Vinyl coated galvanized aircraft cable | 2" and 3" Forged O-Rings |

| PART # | DESCRIPTION | MATERIAL | FEATURES |
|--------|---------------------------------|-----------------------|---------------------|
| 26770 | 1-3/4" x 12" with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26771 | 1-3/4" x 18" with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26772 | 1-3/4" x 2' with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26773 | 1-3/4" x 3' with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26774 | 1-3/4" x 4' with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26775 | 1-3/4" x 5' with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26776 | 1-3/4" x 6' with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26778 | 1-3/4" x 8' with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26782 | 1-3/4" x 12' with two D-rings | Nylon & Polyester Web | Full length Wearpad |
| 26793 | 3" x 3' with web eye and D-ring | Nylon & Polyester Web | Full length Wearpad |
| 26794 | 3" x 4' with web eye and D-ring | Nylon & Polyester Web | Full length Wearpad |
| 26795 | 3" x 5' with web eye and D-ring | Nylon & Polyester Web | Full length Wearpad |
| 26796 | 3" x 6' with web eye and D-ring | Nylon & Polyester Web | Full length Wearpad |

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Fall Rated Carabiners



13180
5-1/4"x2-15/16"x3/4"
Case Qty 25



13190
5-1/4"x2-15/16"x3/4"
Case Qty 25



13195
5-9/16"x3-3/16"x1"
Case Qty 25
Aluminum



17237 w/pin
9-5/16" x 5-3/16" x 2"
Case Qty: 12
Aluminum



17420 w/pin
9-1/4"x5-3/16"x2"
Case Qty: 25



17426 w/pin
8-11/16"x5-9/16"x2-1/8"
Case Qty: 25



17435 w/pin
7"x11/16"x1-13/16"
Case Qty: 25
Side Swing



17440
5-1/8"x3-7/16"x1"
Case Qty: 25



17442 w/pin
4-13/16"x3-5/16"x1"
Case Qty: 25
Aluminum



17443 w/pin
4-7/8"x3-1/8"x1"
Case Qty: 25



17444 w/pin
4-7/8"x2-13/16"x1"
Case Qty: 25
Aluminum



17448 w/pin
4-1/16"x3-3/16"x1-3/32"
Case Qty: 25



17450
4-3/16"x2-1/2"x11/16"
Case Qty: 25



17451 w/pin
4-3/8"x2-11/16"x3/4"
Case Qty: 25



17460 w/pin
7-1/8"x4-1/2"x1-1/8"
Case Qty: 25

**STRENGTH
FOR YOUR
SAFETY...
VARIETY
YOU NEED!**

"Dimensions are Approximate"

Fall Rated Hooks


Anchorage



13101
5-13/16"x13/16"x1-3/16"
Case Qty 24



13450
9-3/4"x13/16"x1-3/16"
Case Qty 25




13321
6"x3/4"x1"
Case Qty 25




13206
9-13/16"x5-5/16"x
2-3/8"x1-3/16"
Case Qty 25



13218
9-5/16" x 4-15/16"
x 2-3/8" x 1"
Case Qty 25



13314
7-3/16"x2-3/8"x3/4"
Case Qty 12



13121
7-1/2"x2-3/8"x3/4"
Case Qty 12




13329
11-9/16" x 4-7/8"
x 2-3/8" x 1"
Case Qty 25

Dimensions are Approximate

Harnesses

Connecting
Devices

Anchorage



13400



13420



13425



29701



29741



29761

Kits

Rescue &
Confined Spaces

Rebar Chain & Web Assemblies & Tower Positioning

| PART # | DESCRIPTION | MATERIAL | LEGS | FEATURES | STANDARD |
|--------|-------------------|---|-------------|--|-------------|
| 13400 | Tower Positioning | Forged Alloy Steel Yellow Zinc coating | X | 2-1/4" gate opening swivel hook, 3/4" gate opening carabiner, 3/4" gate opening, auto-locking separator snaphook | ANSI Z359.3 |
| 13420 | Tower/Industrial | Steel | Chain / Two | Rebar hook, snaphook on each leg/adjuster | ANSI Z359.3 |
| 13425 | Tower/Industrial | Steel | Chain / Two | Swivel rebar hook, snaphook on each leg/adjuster, swivel | ANSI Z359.3 |
| 29701 | Tower Positioning | Nylon Web/Steel | X | Swivel rebar hook, 3.6M gate 3/4" throat opening auto-locking separator snaphook, 3.6M gate / adjuster, swivel | ANSI Z359.3 |
| 29741 | Tower/Industrial | Nylon Web | Two | 3,600 lb rebar hook 3,600 lb snaphook on each leg / other lengths available | ANSI Z359.3 |
| 29761 | Tower/Industrial | Nylon Web | Two | Swivel rebar hook, 3.6M gate / other lengths available snaphook each leg, 3.6M gate | ANSI Z359.3 |

Accessories

MADE IN USA



800.633.3954

www.elkriver.com

37

Wire and Rope Grabs

| PART # | DESCRIPTION | CONNECTORS | FEATURES |
|--------|-----------------------|-----------------------------------|---------------------------------------|
| 19101 | 1/2" Rope Grab | For use with 1/2" kernmantle rope | 3' Energy Absorbing Lanyard |
| 19401 | 3/8" Wire Cable Grab | Auto-Twist Lock Carabiner | Anti-inversion Attachments, Carabiner |
| 19402 | 5/16" Wire Cable Grab | Auto-Twist Lock Carabiner | Anti-inversion Attachments, Carabiner |



Rope Grabs

| PART # | DESCRIPTION | CONNECTORS | FEATURES |
|--------|-------------------------------------|---------------------|----------------------------|
| 19260 | 5/8" Trailing Rope Grab | 1-1/4" ring | Anti-Inversion, Anti-Panic |
| 19273 | 5/8" Rope Grab with 1" x 3' ZORBER® | Centurion Ssnaphook | Attached Lanyard |



Ascender/Descender Devices

| PART # | DESCRIPTION |
|--------|--|
| 19700 | Left hand ascender, 8-1/2" x 3-1/4", for rope sizes 3/8" and 1/2" |
| 19701 | Right hand ascender, 8-1/2" x 3-1/4", for rope sizes 3/8" and 1/2" |




Nylon Rope Lifelines

| PART # | DESCRIPTION | MATERIAL | CONNECTORS |
|--------|-------------|------------|-----------------------|
| 24725 | 5/8" x25' | Nylon Rope | Snaphook, thimble eye |
| 24750 | 5/8" x50' | Nylon Rope | Snaphook, thimble eye |
| 24775 | 5/8" x75' | Nylon Rope | Snaphook, thimble eye |
| 24800 | 5/8" x100' | Nylon Rope | Snaphook, thimble eye |
| 34125 | 5/8" x25' | Nylon Rope | Snaphook on each end |
| 34150 | 5/8" x50' | Nylon Rope | Snaphook on each end |
| 34175 | 5/8" x75' | Nylon Rope | Snaphook on each end |
| 34200 | 5/8" x100' | Nylon Rope | Snaphook on each end |



Construction Plus® Polyester / Polypropylene Rope Lifelines

| PART # | DESCRIPTION | MATERIAL | CONNECTORS |
|--------|---------------------------------------|------------------------------|-----------------------|
| 49811 | 5/8" x25' CP+Rope | Polyester/Polypropylene Rope | Snaphook on each end |
| 49812 | 5/8" x50' CP+Rope | Polyester/Polypropylene Rope | Snaphook on each end |
| 49813 | 5/8" x75' CP+Rope | Polyester/Polypropylene Rope | Snaphook on each end |
| 49814 | 5/8" x100' CP+Rope | Polyester/Polypropylene Rope | Snaphook on each end |
| 49821 | 5/8" x25' CP+Rope | Polyester/Polypropylene Rope | Snaphook, Thimble Eye |
| 49822 | 5/8" x50' CP+Rope | Polyester/Polypropylene Rope | Snaphook, Thimble Eye |
| 49823 | 5/8" x75' CP+Rope | Polyester/Polypropylene Rope | Snaphook, Thimble Eye |
| 49824 | 5/8" x100' CP+Rope | Polyester/Polypropylene Rope | Snaphook, Thimble Eye |
| 49901 | 5/8" x30' CP+Rope, attached rope grab | Polyester/Polypropylene Rope | Snaphooks |
| 49902 | 5/8" x50' CP+Rope, attached rope grab | Polyester/Polypropylene Rope | Snaphooks |
| 60902 | 4" x 2' Ropeguard | Nylon Web | |
| 60903 | 4" x 3' Ropeguard | Nylon Web | |
| 60904 | 4" x 4' Ropeguard | Nylon Web | |



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Reusable Roof & Concrete Anchorage Connectors

| PART # | DESCRIPTION | FEATURES |
|--------|---|--------------------|
| 13052 | Reusable roof anchor / includes nails | Includes fasteners |
| 13053 | Reusable roof anchor / includes screws | Includes fasteners |
| 13080 | 3/4" Removable concrete anchor | Reusable |
| 13083 | 3/4" precast concrete & steel toggle anchor | Reusable |

13052



13053



13080



13083



Portable Anchorage Connectors

| PART # | DESCRIPTION | FEATURES |
|--------|---|-------------------------|
| 13020 | D-Ring Anchorage Connector, 1/2"x13 | Grade 8 bolt |
| 13070 | Swivel Anchor with Concrete Bolt | Swivel D-ring |
| 13071 | Swivel Anchor Concrete Bolt measures 5" | 6-pack replacement bolt |
| 13072 | Swivel Anchor with Steel Bolt | Swivel D-ring |
| 13073 | Swivel Anchor Steel Bolt measures 4" | 6-pack replacement bolt |

13020



13070



13072



Portable Anchorage Connectors

| PART # | DESCRIPTION | FEATURES |
|--------|--|-------------------------|
| 13000 | Rope Termination Plate | Six hole configuration |
| 13026 | I-Beam Slider with adjuster button on each end, fits 3-1/2" to 14" I-Beams | Adjustable |
| 13055 | Vertical/Fixed Beam Clamp | Fits 4" - 14" beam |
| 13060 | Drop Through Anchor | 6" diameter steel plate |
| 13065 | Beam Trolley | Fits 3" - 10" beam |

13000



**STRONG,
DURABLE,
& SAFE!**

13060



13026



13065



13055



Harnesses

Connecting
Devices

Anchorage

Kits

Rescue &
Confined Spaces

Accessories



Roofer's Kit

- CP + 48103 one D-ring harness
- 5/8" x 30' CP + Lifeline with attached rope grab & attached 2' ZORBER® web lanyard with Snaphook
- Reusable roof anchor with nails
- Carry-all Bucket

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05000 |



Roofer's Kit

- CP + 48103 one D-ring harness
- 5/8" x 50' CP + Lifeline with Snaphook / thimble
- 5/8" x 3' trailing rope grab with attached 3' ZORBER® Snaphook
- Reusable roof anchor with nails
- Carry-all Bucket

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05003 |



ORDER NOW!

Roofing
KITS

Roofer's Kit

- CP + 48103 one D-ring harness
- 5/8" x 50' CP + Lifeline with thimble & attached 2' Zorber® Snaphook
- Reusable roof anchor (NO NAILS)
- Carry-all Bucket

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05006 |



Roofer's Kit

- CP + 48153 one D-ring harness
- 5/8" x 50' CP + Lifeline with Snaphook / thimble
- 5/8" x 3' trailing rope grab with attached 3' ZORBER® Snaphook
- Reusable roof anchor with nails
- Carry-all Bucket

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05009 |



Fall Protection Kit

- 48103 CP + Harness with one D-ring
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05501 |



Aerial Lift Kit

- CP + 48175 one D-ring Harness
- Attached Adjustable 3' to 5' ZORBER® Lanyard with Snaphook
- Carry-all Bag

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05510 |



Fall Protection Kit

- 48153 CP + Harness with one D-ring
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05502 |



Aerial Lift Kit

- Freedom® Harness
- Attached 1" x 6' ZORBER® Energy Absorbing Web Lanyard with Snaphook
- Carry-all Bag

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-L | 05512 |
| L-XL | 05514 |



Fall Protection Kit

- 48303 CP + Harness with three D-rings
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05503 |



Fall Protection Kit

- 48113 CP + Harness with one D-ring
- Attached 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05593 |



Fall Protection Kit

- 48353 CP + Harness with three D-rings
- 6' CP + NoPac® Energy-Absorbing Web Lanyard with Snaphooks each end
- Carry-all Bag

| SIZES | PART # |
|--------------------|--------|
| One size fits most | |
| S-XL | 05504 |



Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Tripod Head—Powder Coated Cast Aluminum; contains 2 spring loaded pulleys and 2 eye bolts

Legs - Cast Aluminum; auto lock in the open position; foot strap not required; spiked feet pivot for soft or hard surfaces

Winch—Galvanized and Carbon Steel; Galvanized Wire Rope; Automatic Brake; Swivel Steel Snaphook

Fall Arrest Block w/Recovery - Aluminum Housing; Galvanized Wire Rope; Swivel Steel Hook; Engageable Gear for Emergency Recovery

Fall Arrest Block - Thermoplastic Housing; Galvanized Wire Rope 50'; Swivel Steel Hook; Steel Bracket
Bracket - Powder Coated Aluminum; Anti-slip; Hinged lid and screw design

Maximum Height - 8'-4"
 Headroom Maximum Height - 7'-5"
 Collapsed Length - 6'-2" Folded



| PART # | DESCRIPTION | MATERIAL |
|--------|------------------------------------|---------------------------|
| 05630 | Tripod | Aluminum Alloy |
| 21165 | Winch | Galvanized & Carbon Steel |
| 22362 | Self Retracting Device w/ Recovery | Aluminum Housing |

Replacement
Parts Sold
Separately.

See page 33
for more
information
Part #22550

Part #25999

See page 16
for more
information
Part #42559

Part # 05632

| PART # | DESCRIPTION | MATERIAL |
|--------|-----------------------------|----------------|
| 05632 | Tripod | Aluminum Alloy |
| 22550 | Retractable | See page 33 |
| 25999 | Bridle | See page 16 |
| 42559 | Universal Retrieval Harness | See page 16 |

Harnesses

Connecting
Devices

Anchorage

Kits

Rescue &
Confined Spaces

Accessories

Tool Lanyards, Bags, & More

Premium Tool Lanyard

- Compact Lightweight design
- 31" length extends to 56.6"
- Rated for tools up to 15 lbs.
- Hi-vis orange yellow
- Captive eye carabiner with screw gate



60014

Tool Lanyard

- Compact Lightweight design
- 31" length extends to 56.6"
- Rated for tools up to 15lbs
- Carabiner included



60015



60017

Trauma Relief Strap

- 1" polyester web, nylon case
- Compact & Lightweight
- 1" wide with hook & cambuckle for adjustable loop length.



85007

Phone/Radio Case

3" wide with elastic sides to hold large phones. Notched top to fit radios with antenna. Pass through loop for easy belt attachment. Rugged hook/loop closures for attachment to shoulder strap.



85008

Universal Bosun's Seat

85809



- 12" x 24" Platform of 1" Laminated Plywood
- 4 point nylon suspension system, D-ring attachment point
- Waistbelt, two bucket snaps each end for attaching equipment
- Universal Size / S-L

D-Ring Extension

14702-14703

- 1-3/4" Nylon Web
- Heavy duty snaphook
- 12" AND 18" Long



RFID Accessories



USB STICK READER

99300



DESKTOP READER

99301



3 PACK OF RFID TAGS

99302

Tool Lanyards, Bags, & More

Accessories

Bags

Keeping it together...



84221



84302-84304



84403



88010

| PART # | DESCRIPTION | FEATURES |
|--------|---|---|
| 84221 | Sturdy red bag, 11" x 24" x 14" deep | Weather resistant, carry all your fall protection equipment |
| 84302 | Rope Bag, 12" x 12" deep | Holds up to 350' (106M) of 1/2"(12mm) KM Rope |
| 84303 | Rope Bag, 12" x 16" deep | Holds up to 450' (137M) of 1/2"(12mm) KM Rope |
| 84304 | Rope Bag, 12" x 20" deep | Holds up to 550' (167M) of 1/2"(12mm) KM Rope |
| 84403 | White cotton duck bucket, 12" x 15" with plastic bottom | 6" x 6" inside pocket, brass snaphook on rope handle |
| 88010 | Heavy-duty Nylon Bag, 22.5" x 11" x 11" deep | Carry handles, shoulder strap |

| PART # | DESCRIPTION | FEATURES | CAPACITY |
|--------|---|---|----------|
| 84520 | Red Canvas Bolt Bag / 4" x 10" x 9" deep | Belt tunnel | 15 lbs |
| 84521 | Red Canvas Bolt Bag / 4" x 10" x 9" deep | Belt tunnel, drawstring | 15 lbs |
| 84522 | Canvas Deep Bolt Bag / 4" x 14" x 9" deep | Deep drawstrings, belt tunnel, inside pocket | 25 lbs |
| 84523 | Heavy Duty Bolt Bag / 3" x 13" x 10" deep | Triple reinforced bottom, tool rings, inside pocket | 25 lbs |
| 88199 | White Duck Bolt Bag / 8" x 4" x 10" deep | Inside pocket, belt snap straps | 15 lbs |

Bolt Bags



84520



84521



84522



84523



88199

Harnesses

Connecting Devices

Anchorage

Kits

Rescue & Confined Spaces

Accessories



Black Replacement Belts

- Polyester web

| SIZES | PART # |
|-------|--------|
| S | 01551 |
| M | 01552 |
| L | 01553 |
| XL | 01554 |
| 2XL | 01555 |
| 3XL | 01556 |



01551 – 01556

WorkMaster® Replacement Belts

- Nylon web

| SIZES | PART # |
|-------|--------|
| S | 02001 |
| M | 02002 |
| L | 02003 |
| XL | 02004 |
| 2XL | 02005 |
| 3XL | 02006 |
| 4XL | 02007 |



02001 – 02007

Miner's Body Belts

- Reinforced, 3" Backpad
- Nylon & Polyester Web

| SIZES | PART # |
|-------|--------|
| S | 03191 |
| M | 03192 |
| L | 03193 |
| XL | 03194 |



03191 – 03194

Double D Body Belts

- 3" pad and 2 D-rings
- Nylon web

| SIZES | PART # |
|-------|--------|
| S | 03201 |
| M | 03202 |
| L | 03203 |
| XL | 03204 |



03201 – 03204

Eagle® DL Body Belts

- 5" backpad, 2 D-rings
- Removable belt

| SIZES | PART # |
|-------|--------|
| S | 03281 |
| M | 03282 |
| L | 03283 |
| XL | 03284 |
| 2XL | 03285 |
| 3XL | 03286 |



03281 – 03286

Work Belts
Work Belts
Work Belts
Work Belts

Work Belts

Back SUPPORT

Freedom® Harness with Safety Vest



- Three D-rings: at back and hips
- Mating buckle on chest and leg straps
- Freedom Harness with High-visibility Orange or Safety Green vest
- One size fits most
- ANSI Class 2 Vest

| SIZES | PART # |
|----------------------|--------|
| (Safety Orange) M-XL | 55393 |
| (Safety Green) M-XL | 55394 |



Back EZE-man®



| SIZING CHART FOR BACK-EZE | |
|---------------------------|--------------------|
| Size | Waist Measurements |
| | Inches |
| XS | 22-26 |
| S | 26-30 |
| M | 30-34 |
| L | 34-38 |
| XL | 38-42 |
| 2XL | 42-46 |
| 3XL | 46-50 |
| 4XL | 50-54 |
| 5XL | 54-58 |
| 6XL | 58-62 |

| PART# | FEATURES | SIZES |
|-------|---------------|-------|
| 40041 | Safety Orange | S |
| 40042 | Safety Orange | M |
| 40043 | Safety Orange | L |
| 40044 | Safety Orange | XL |
| 40045 | Safety Orange | 2XL |
| 40046 | Safety Orange | 3XL |

Strength/Durability-
Strength/Durability-
Strength/Durability-
Strength/Durability-

40041-40046

Back EZE-man®



| PART# | FEATURES | SIZES |
|-------|-----------------|-------|
| 40001 | With Suspenders | S |
| 40002 | With Suspenders | M |
| 40003 | With Suspenders | L |
| 40004 | With Suspenders | XL |
| 40005 | With Suspenders | 2XL |
| 40006 | With Suspenders | 3XL |

We've got your back!

40001 - 40006



ALPHA-NUMERIC INDEX

ACCESSORIES

| | |
|-------------------------------------|----|
| BACK-EZE | 49 |
| BAGS / BOLT BAGS | 47 |
| BOSUN'S SEAT | 46 |
| D-RING EXTENSION | 46 |
| FREEDOM HARNESS WITH SAFETY VEST | 49 |
| PHONE/RADIO CASE | 46 |
| PREMIUM TOOL LANYARD / TOOL LANYARD | 46 |
| RFID ACCESSORIES | 46 |
| TRAUMA RELIEF STRAP | 46 |
| WORK BELTS | 48 |

ANCHORAGE

| | |
|---|-------|
| BEAM TROLLEY | 41 |
| CONSTRUCTION PLUS | |
| POLYESTER -- POLYPROPYLENE ROPE LIFELINES | 39 |
| ASCENDER AND DECENDER DEVICES | 38 |
| DROP THROUGH ANCHOR | 41 |
| EZE MAN SLINGS | 35 |
| FALL RATED CARABINERS | 36 |
| FALL RATED HOOKS | 37 |
| GAC SLINGS | 35 |
| I-BEAM SLIDER / VERTICAL-FIXED BEAM CLAMP | 41 |
| NYLON ROPE LIFELINES/ROPEGUARDS | 39 |
| PORTABLE ANCHORAGE CONNECTORS | 40-41 |
| REBAR CHAIN AND WEB ASSEMBLIES AND TOWER POSITIONING | 37 |
| ROBE GRABS | 38 |
| ROOF AND CONCRETE ANCHORAGE CONNECTORS | 40 |
| ROPE TERMINATION PLATE | 41 |
| WIRE CABLE GRABS | 38 |

CONNECTING DEVICES

| | |
|--|-------|
| CHOKER ZORBER | 28 |
| SOFT LOOP ZORBER | 29 |
| FALL CLEARANCE CALCULATION | 21 |
| FLEX ZORBER | 29 |
| FLEX-NOPAC ENERGY-ABSORBING WEB LANYARDS | 23-24 |
| HOW TO INSPECT A LANYARD | 21 |
| NOPAC ENERGY-ABSORBING WEB LANYARDS | 22 |
| QUICK-ADJUSTABLE ROPE POSITIONING LANYARD | 31-32 |
| RETRACTABLE / CABLE SELF RETRACTING DEVICE | 33 |
| RES-QUE NOPAC | 28 |
| ZX-12 ZORBER | 28 |
| ZORBER TIE BACK | 29 |
| ZORBER ENERGY-ABSORBING WEB LANYARDS | 25-27 |
| ZORBER ENERGY-ABSORBING CABLE LANYARD | 30 |

DEWALT

| | |
|--------------------------------|-------|
| HARNESSES / CONNECTING DEVICES | 50-51 |
|--------------------------------|-------|

HARNESSES

| | |
|---------------------------------------|-------|
| CONSTRUCTION PLUS SERIES | 18-19 |
| OIL RIGGER | 14 |
| EAGLE LITE | 10 |
| EAGLE TOWER LX | 9 |
| EAGLE X2 | 8 |
| EAGLE TOWER | 8 |
| FIREFLY PLATINUM | 11 |
| FREEDOM FLEX / FREEDOM FLEX QC | 15 |
| IRON EAGLE | 9 |
| KEVLAR | 20 |
| TOWER MASTER | 13 |
| ONYX PLATINUM | 11 |
| PEREGRINE PLATINUM / KESTREL PLATINUM | 5 |
| PEREGRINE RAS PLATINUM | 4 |
| PLATINUM OIL RIGGER | 3 |
| RAVEN PLATINUM | 6 |
| RAVEN PLATINUM EX | 6 |
| RAVEN TOWER | 7 |
| UNIVERSAL RETRIEVAL | 16 |
| UNIVERSAL SERIES | 17 |
| WIND EAGLE | 10 |
| WORK MASTER | 12 |

KITS

| | |
|----------------------|----|
| AERIAL LIFT KIT | 43 |
| FALL PROTECTION KITS | 43 |
| ROOFER'S KIT | 42 |

MISC.

| | |
|-------------------------------|---------------------|
| CUSTOMER SERVICE | INSIDE BACK CATALOG |
| GUIDES AND SYMBOLS | 2 |
| HOW TO DON A HARNESS | 2 |
| INTRODUCING NEW OWNER | 55 |
| INSIDE / OUTSIDE SALES | INSIDE BACK CATALOG |
| MEMBERSHIPS / TRADE GROUPS | INSIDE FRONT COVER |
| RFID -- THIS IS HOW WE DO IT! | 34 |

RESCUE

| | |
|-----------------------------|-------|
| PRO SERIES / CONFINED SPACE | 44-45 |
|-----------------------------|-------|


INDEX

| PART # | PAGE | PART # | PAGE | PART # | PAGE | PART # | PAGE | PART # | PAGE | PART # | PAGE |
|--------|------|--------|------|--------|---------|--------|------|--------|------|--------|------|
| 01551 | 48 | 05510 | 43 | 13425 | 37 | 24725 | 39 | 34125 | 39 | 36358 | 26 |
| 01552 | 48 | 05512 | 43 | 13450 | 37 | 24750 | 39 | 34150 | 39 | 36359 | 26 |
| 01553 | 48 | 05514 | 43 | 13604 | 35 | 24775 | 39 | 34175 | 39 | 36527 | 26 |
| 01554 | 48 | 05593 | 43 | 13606 | 35 | 24800 | 39 | 34200 | 39 | 36528 | 26 |
| 01555 | 48 | 05630 | 44 | 13608 | 35 | 25999 | 16 | 34406 | 31 | 36806 | 27 |
| 01556 | 48 | 05632 | 45 | 13610 | 35 | 26770 | 35 | 34416 | 32 | 36827 | 27 |
| 02001 | 48 | 11306 | 30 | 14702 | 46 | 26771 | 35 | 34496 | 32 | 36828 | 27 |
| 02002 | 48 | 11506 | 30 | 14703 | 46 | 26772 | 35 | 34498 | 32 | 36887 | 27 |
| 02003 | 48 | 11526 | 30 | 17237 | 36 | 26773 | 35 | 35324 | 22 | 36897 | 27 |
| 02004 | 48 | 13000 | 41 | 17420 | 36 | 26774 | 35 | 35326 | 22 | 36926 | 28 |
| 02005 | 48 | 13020 | 40 | 17426 | 36 | 26775 | 35 | 35346 | 22 | 36936 | 28 |
| 02006 | 48 | 13026 | 41 | 17435 | 36 | 26776 | 35 | 35374 | 22 | 36940 | 29 |
| 02007 | 48 | 13052 | 40 | 17440 | 36 | 26778 | 35 | 35376 | 22 | 36941 | 29 |
| 03191 | 48 | 13053 | 40 | 17442 | 36 | 26782 | 35 | 35386 | 22 | 36966 | 29 |
| 03192 | 48 | 13055 | 41 | 17443 | 36 | 26793 | 35 | 35401 | 29 | 36967 | 29 |
| 03193 | 48 | 13060 | 41 | 17444 | 36 | 26794 | 35 | 35406 | 23 | 40001 | 49 |
| 03194 | 48 | 13065 | 41 | 17448 | 36 | 26795 | 35 | 35416 | 23 | 40002 | 49 |
| 03201 | 48 | 13070 | 40 | 17450 | 36 | 26796 | 35 | 35417 | 23 | 40003 | 49 |
| 03202 | 48 | 13071 | 40 | 17451 | 36 | 28013 | 31 | 35427 | 23 | 40004 | 49 |
| 03203 | 48 | 13072 | 40 | 17460 | 36 | 28014 | 31 | 35428 | 24 | 40005 | 49 |
| 03204 | 48 | 13073 | 40 | 19101 | 38 | 28015 | 31 | 35477 | 24 | 40006 | 49 |
| 03281 | 48 | 13080 | 40 | 19260 | 38 | 28016 | 31 | 35478 | 24 | 40041 | 49 |
| 03282 | 48 | 13083 | 40 | 19273 | 38 | 29022 | 31 | 35487 | 24 | 40042 | 49 |
| 03283 | 48 | 13101 | 37 | 19401 | 38 | 29023 | 31 | 35488 | 24 | 40043 | 49 |
| 03284 | 48 | 13121 | 37 | 19402 | 38 | 29024 | 31 | 35716 | 24 | 40044 | 49 |
| 03285 | 48 | 13180 | 36 | 19700 | 38 | 29025 | 31 | 35824 | 28 | 40045 | 49 |
| 03286 | 48 | 13190 | 36 | 19701 | 38 | 29026 | 31 | 35826 | 28 | 40046 | 49 |
| 05000 | 42 | 13195 | 36 | 21165 | 44 | 29432 | 31 | 36026 | 28 | 42109 | 17 |
| 05003 | 42 | 13206 | 37 | 22362 | 44 | 29433 | 31 | 36036 | 28 | 42159 | 17 |
| 05006 | 42 | 13218 | 37 | 22507 | 33 | 29434 | 31 | 36263 | 25 | 42309 | 17 |
| 05009 | 42 | 13314 | 37 | 22508 | 33 | 29436 | 31 | 36264 | 25 | 42359 | 17 |
| 05501 | 43 | 13321 | 37 | 22511 | 33 | 29506 | 31 | 36266 | 25 | 42559 | 16 |
| 05502 | 43 | 13329 | 37 | 22520 | 33 | 29701 | 37 | 36267 | 25 | 47149 | 15 |
| 05503 | 43 | 13400 | 37 | 22530 | 33 | 29741 | 37 | 36356 | 26 | 47169 | 15 |
| 05504 | 43 | 13420 | 37 | 22550 | 33 & 45 | 29761 | 37 | 36357 | 26 | 47349 | 15 |


INDEX

| PART # | PAGE | PART # | PAGE | PART # | PAGE | PART # | PAGE | PART # | PAGE |
|--------|------|--------|------|--------|------|--------|------|--------|------|
| 47369 | 15 | 62432 | 10 | 67498 | 5 | 75422 | 13 | 95741 | 20 |
| 48013 | 19 | 62434 | 10 | 67499 | 5 | 75423 | 13 | 97101 | 11 |
| 48103 | 18 | 62631 | 8 | 67471 | 3 | 75424 | 13 | 97102 | 11 |
| 48112 | 19 | 62632 | 8 | 67472 | 3 | 75425 | 13 | 97103 | 11 |
| 48113 | 19 | 62633 | 8 | 67473 | 3 | 75426 | 13 | 97104 | 11 |
| 48153 | 18 | 62634 | 8 | 67474 | 3 | 76471 | 14 | 97105 | 11 |
| 48173 | 19 | 62635 | 8 | 67475 | 3 | 76472 | 14 | 97106 | 11 |
| 48175 | 19 | 65321 | 9 | 67601 | 5 | 76473 | 14 | 97111 | 11 |
| 48303 | 18 | 65322 | 9 | 67602 | 5 | 76474 | 14 | 97112 | 11 |
| 48353 | 18 | 65323 | 9 | 67603 | 5 | 76475 | 14 | | |
| 48363 | 19 | 65324 | 9 | 67604 | 5 | 76476 | 14 | | |
| 49811 | 39 | 65325 | 9 | 67605 | 5 | 84221 | 47 | | |
| 49812 | 39 | 65326 | 9 | 67631 | 4 | 84302 | 47 | | |
| 49813 | 39 | 66611 | 8 | 67632 | 4 | 84303 | 47 | | |
| 49814 | 39 | 66612 | 8 | 67633 | 4 | 84304 | 47 | | |
| 49821 | 39 | 66613 | 8 | 67634 | 4 | 84403 | 47 | | |
| 49822 | 39 | 66614 | 8 | 67635 | 4 | 84520 | 47 | | |
| 49823 | 39 | 66615 | 8 | 67641 | 4 | 84521 | 47 | | |
| 49824 | 39 | 66616 | 8 | 67642 | 4 | 84522 | 47 | | |
| 49901 | 39 | 66621 | 9 | 67643 | 4 | 84523 | 47 | | |
| 49902 | 39 | 66622 | 9 | 67644 | 4 | 85007 | 46 | | |
| 55393 | 49 | 66623 | 9 | 67645 | 4 | 85008 | 46 | | |
| 55394 | 49 | 66624 | 9 | 67661 | 7 | 85809 | 46 | | |
| 60014 | 46 | 66625 | 9 | 67662 | 7 | 88010 | 47 | | |
| 60015 | 46 | 66626 | 9 | 67663 | 7 | 88199 | 47 | | |
| 60017 | 46 | 67301 | 6 | 67664 | 7 | 95004 | 20 | | |
| 60902 | 39 | 67302 | 6 | 67665 | 7 | 95006 | 20 | | |
| 60903 | 39 | 67303 | 6 | 75301 | 12 | 95016 | 20 | | |
| 60904 | 39 | 67304 | 6 | 75302 | 12 | 95026 | 20 | | |
| 62311 | 10 | 67305 | 6 | 75303 | 12 | 95046 | 20 | | |
| 62312 | 10 | 67311 | 6 | 75304 | 12 | 95047 | 20 | | |
| 62313 | 10 | 67312 | 6 | 75335 | 12 | 95102 | 20 | | |
| 62314 | 10 | 67313 | 6 | 75336 | 12 | 95104 | 20 | | |
| 62315 | 10 | 67314 | 6 | 75337 | 12 | 95106 | 20 | | |
| 62316 | 10 | 67315 | 6 | 75421 | 13 | 95740 | 20 | | |

Take Note...
Safety First, ALWAYS!



FIELD NOTES





*Graphic Designer
and
Marketing*

Michelle-



*Administrative
Assistant
and
Accounts
Payable*

Debi-



General Manager

Mike-



*Quality
and
Testing*

Delisa-



IT

Erik-



*Accounts
Receivable*

Carolyn-

Elk River
office-
We are
a team
with care,
trust,
& respect
for our
customers
&
one another.

P. O. Box 1770, Cullman, AL 35056-1770
256.739.5959 • 800.633.3954 • 256.739.3105 fax
www.elkriver.com • sales@elkriver.com

Inside Sales.
Safety just got stronger.
Protecting you just got easier.



Denise



Debra



Karen



Adele

CUSTOMER
FRIENDLY
SUPPORT
INNOVATIVE
POSITIVE
PRECISE
TIMELY



Our Elk River team is dedicated & determined
to assist & provide our customers with the best safety products.
We truly believe customer service and support is the first step to safety.

P. O. Box 1770, Cullman, AL 35056-1770
256.739.5959 • 800.633.3954 • 256.739.3105 fax
www.elkriver.com • sales@elkriver.com




OutSide Sales
The Leader's Code.

My first responsibility as a leader is to manage
my own words and behavior.
I am always on stage...






Made in the U.S.A.





Made in the U.S.A.





we protect what you love...

Personal Fall Protection



Elk River

Personal Fall Protection

P. O. Box 1770, Cullman, AL 35056-1770
256.739.5959 • 800.633.3954 • 256.739.3105 fax
www.elkriver.com • sales@elkriver.com

P/N 99019